

NIKE ANALOG SPORT WATCHES

1

<b>INSTRUCTIONS</b>	<b>p. 1</b>
MODE D'EMPLOI	p. 9
BEDIENUNGSANLEITUNG	p. 17
ISTRUZIONI	p. 25
INSTRUCCIONES	p. 33
GEBRUIKSAANWIJZING	p. 41
INSTRUKTIONER	p. 49
BRUKSANVISNING	p. 57
取扱説明書	p. 65
INSTRUÇÕES	p. 71
REPAIR CENTERS	p. 78

### SETTING INSTRUCTIONS

#### NIKE ELECTROLITE

Illuminate the display by pressing the Electrolite button.

Prolonged use of Nike Electrolite will reduce battery life.




*Note: Button placement varies. Not all Nike watches have the Electrolite or date feature.*

Push for backlighting

ELECTROLITE  
DISPLAY BUTTON



#### WITH DATE



-  NORMAL OPERATION
-  DATE ADJUST
-  TIME ADJUST

#### WITHOUT DATE



-  NORMAL OPERATION
-  TIME ADJUST

SPECIFICATIONS

MODEL	Mode Limits	H <sub>2</sub> O Resistance	Materials	Battery Type
Triax Analog Super Triax Analog Regular	N/A	Up to 10ATM	CRYSTAL = Mineral Glass CASE = Plastic Resin CASEBACK = Stainless Steel STRAP = Urethane BUCKLE = Stainless Steel	SR626W Battery life: Approximately 2 years
Triax Junior Analog	N/A	Up to 5ATM	CRYSTAL = Mineral Glass CASE = Plastic Resin CASEBACK = Stainless Steel STRAP = Urethane BUCKLE = Stainless Steel	SR626W Battery life: Approximately 2 years
Ambient	N/A	Up to 10ATM	CRYSTAL = Mineral Glass CASE = Plastic Resin CASEBACK = Stainless Steel STRAP = Polyurethane BUCKLE = Stainless Steel	SR626W Battery life: Approximately 2 years
Agent Super/Regular Steel Agent Super/Regular	N/A	Up to 10ATM	CRYSTAL = Mineral Glass CASE = Plastic Resin CASEBACK = Stainless Steel STRAP = Polyurethane BUCKLE = Stainless Steel	SR626SW Battery life: Approximately 2 years

*Note: Time loss/gain is less than 30 seconds/month in 5° to 35° C temperatures. Operational temperature range is -5° to 50° C.*

SPECIFICATIONS

MODEL	Mode Limits	H <sub>2</sub> O Resistance	Materials	Battery Type
ACG Field Regular		Up to 10ATM	CRYSTAL = Mineral Glass CASE = Stainless Steel and Urethane CASEBACK = Stainless Steel STRAP = Leather or nylon BUCKLE = Stainless Steel	SR716SW Battery life: Approximately 2 years
ACG Field Super		Up to 10ATM	CRYSTAL = Mineral Glass CASE = Stainless Steel and Urethane CASEBACK = Stainless Steel STRAP = Leather or nylon BUCKLE = Stainless Steel	SR920SW Battery life: Approximately 2 years

*Note: Time loss/gain is less than 30 seconds/month in 5° to 35° C temperatures. Operational temperature range is -5° to 50° C.*

WARRANTY

**One Year Limited Warranty**

Your NIKE watch is warranted to be free of defects in materials or workmanship, under normal use, for a period of one year from the date of original retail purchase. This warranty excludes the battery, crystal, strap, or damage resulting from improper care or handling, accidents, modification, unauthorized repairs, or normal wear.

Return the defective watch and the store receipt to the place of purchase. If there is a covered defect, NIKE will, at its option, repair or replace the defective parts or watch with the same product (if available) or a similar product of equal price.

This warranty is in lieu of all other express or implied warranties. In no event shall NIKE be liable for direct, indirect, incidental, or consequential damages arising out of the use of the watch, and any recovery is limited to the purchase price. Some states do not allow the exclusion or limitation of incidental or consequential damages or how long an implied warranty lasts, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state. No other person or company is authorized to change this warranty, and your dealer is solely responsible for any other warranties.

Please fill out this registration card and retain as proof of warranty.

OWNER'S NAME

DATE OF PURCHASE

RETAILER (IF KNOWN)

NAME/STYLE OF WATCH

SERIAL NUMBER (LOCATED ON BACK OF WATCH)

SIGNATURE

